



**Guillemin
Couplings**





Guillemin Couplings

EN14420-8/NF E 29-572


Stainless steel by Investment casting

Brass by forging

Aluminium by gravity casting

Polypropylene

SIZE: DN15-DN150



Hose end with collar

Name	Size	Code	Weight	SPQ	Code	Weight	SPQ	Code	Weight	SPQ	Code	Weight	SPQ
DN15-20	1/2"	B0209124	0.076	90	B0209126			B0209125	0.07	90	B0209127		
DN20-25	3/4"	B0209128	0.124	90	B0209129			B0209033	0.078	90	B0209130		
DN25-25	1"	B0209131	0.188	70	B0209132			B0209224	0.095	70	B0209133		
DN25-30	1"	B0209134	0.175	70	B0209136			B0209135	0.120	70	B0209137		
DN32-32	1 1/4"	B0209138	0.237	60	B0209139			B0209220	0.121	60	B0209140		
DN32-35	1 1/4"	B0209141	0.17	60	B0209142			B0209045	0.170	60	B0209143		
DN40-40	1 1/2"	B0209210	0.383	30	B0209144			B0209072	0.170	30	B0209145		
DN40-45	1 1/2"	B0209146	0.346	30	B0209148			B0209147	0.251	30	B0209149		
DN50-51	2"	B0209204	0.930	30	B0209150			B0209017	0.330	30	B0209049		
DN50-55	2"	B0209152	0.870	24	B0209155			B0209226	0.380	24	B0209225		
DN65-65	2 1/2"	B0209218	1.050	12	B0209228			B0209071	0.411	12	B0209157		
DN65-70	2 1/2"		1.100	16	B0209159			B0209039	0.600	16	B0209160		
DN80-76	3"	B0209206	2.270	16	B0209229			B0209015	0.770	16	B0209050		
DN80-80	3"	B0209217	2.280	10	B0209162			B0209028	0.790	10	B0209163		
DN80-90	3"		2.040	10	B0209165				0.850	10	B0209166		
DN100-100	4"	B0209167	3.31	10	B0209168			B0209022	1.330	10	B0209169		
DN100-102	4"	B0209219	2.233	6	B0209170			B0209208	1.518	6	B0209171		
DN100-105	4"	B0209172	2.52	6	B0209173			B0209051	1.030	6	B0209174		
DN100-110	4"	B0209175	2.240	6	B0209177			B0209176	1.260	6	B0209178		
DN125-125	5"	B0209179	5.1	2	B0209181			B0209180	2.16	2	B0209182		
DN150-152	6"	B0209183	5.300	2	B0209185			B0209227	4	2	B0209186		

Female with locking ring



Name	Size	Code	Weight	SPQ	D	H	Material
DN15	1/2"	B0201001		180			SS
DN20	3/4"	B0201108		90	3/4"	53	SS
DN25	1"	B0201104		70	1"		SS
DN32	1 1/4"	B0201109		60			SS
DN40	1 1/2"	B0201107		40			SS
DN50	2"	B0201054		30	2"	62	SS
DN65	2 1/2"	B0201048		24	2 1/2"	104.5	SS
DN80	3"	B0201049		16	3"	103.25	SS
DN100	4"	B0201106		10	4"	119	SS
DN150	6"	B0201025		2	6"	164.5	SS
DN25	1"	B0201085		70			BR
DN32	1 1/4"	B0201087		60			BR
DN40	1 1/2"	B0201069		40	1 1/2"	65.7	BR
DN50	2"	B0201022		30	2"	87.15	BR
DN65	2 1/2"	B0201090		24			BR
DN80	3"	B0201023		16	3"	103.25	BR
DN100	4"	B0201024		10	4"	124.25	BR
DN150	6"	B0201093		2			BR
DN15	1/2"	B0201080		180			AL
DN20	3/4"	B0201018		90	3/4"	68	AL
DN25	1"	B0201016		70	1"	55.5	AL
DN32	1 1/4"	B0201017		60	1 1/4"	59	AL
DN40	1 1/2"	B0201037		40	1 1/2"	87	AL
DN50	2"	B0201014		30	2"	88	AL
DN65	2 1/2"	B0201013		24			AL
DN80	3"	B0201012		16			AL
DN100	4"	B0201038		10	4"	119.5	AL
DN150	6"	B0201011		2	6"	165.5	AL
DN25	1"	B0201086		70			PP
DN32	1 1/4"	B0201088		60			PP
DN40	1 1/2"	B0201026		40			PP
DN50	2"	B0201027		30			PP
DN65	2 1/2"	B0201091		24			PP
DN80	3"	B0201028		16			PP
DN100	4"	B0201092		10			PP

Male with locking ring



Name	Size	Code	Weight	SPQ	D	H	Material
DN15	1/2"	B0202007		90	1/2"	45	SS
DN20	3/4"	B0202088		90			SS
DN25	1"	B0202090		70			SS
DN32	1 1/4"	B0202089		60			SS
DN40	1 1/2"	B0202081		60	1 1/2"	62	SS
DN50	2"	B0202047		30	2"	82	SS
DN65	2 1/2"	B0202086		20	2 1/2"	78.5/82.5	SS
DN80	3"	B0202079		15			SS
DN100	4"	B0202085		6	4"	94	SS
DN150	6"	B0202028		2	6"	165.5	SS
DN25	1"			70			BR
DN32	1 1/4"			60			BR
DN40	1 1/2"	B0202074		60			BR
DN50	2"	B0202024		30	2"	87.15	BR
DN65	2 1/2"			20			BR
DN80	3"	B0202025		15	3"	103.25	BR
DN100	4"	B0202026		6	4"	109.25	BR
DN20	3/4"	B0202020		90	3/4"	56	AL
DN25	1"	B0202018		70	1"	60.5	AL
DN32	1 1/4"	B0202019		60	1 1/4"	58	AL
DN40	1 1/2"	B0202035		60	1 1/2"	69	AL
DN50	2"	B0202014		30	2"	88	AL
DN65	2 1/2"	B0202015		20	2 1/2"	89.5	AL
DN80	3"	B0202010		15	3"	94.25	AL
DN100	4"	B0202036		6	4"	107.5	AL
DN150	6"	B0202009		2	6"	165.5	AL
DN25	1"						PP
DN32	1 1/4"						PP
DN40	1 1/2"	B0202029					PP
DN50	2"	B0202030					PP
DN65	2 1/2"						PP
DN80	3"	B0202031					PP
DN100	4"	B0202075					PP

Female without locking ring



Name	Size	Code	Weight	SPQ	D	H	Material
DN15	1/2"	B0204001		90	1/2"	25	SS
DN20	3/4"	B0204049		90			SS
DN25	1"	B0204003		70	1"	38	SS
DN32	1 1/4"	B0204054		60	1 1/4"	46	SS
DN40	1 1/2"	B0204035		50	1 1/2"	40.5	SS
DN50	2"	B0204056		40	2"	47.5	SS
DN65	2 1/2"	B0204050		24	2 1/2"	48	SS
DN80	3"	B0204052		20	3"	56.5	SS
DN100	4"	B0204053		20	4"	62.5	SS
DN25	1"						BR
DN32	1 1/4"						BR
DN40	1 1/2"						BR
DN50	2"	B0204012		40	2"	54.5	BR
DN65	2 1/2"			24			BR
DN80	3"	B0204013		20	3"	77.5	BR
DN100	4"			20			BR
DN15	1/2"						AL
DN20	3/4"	B0204014		90	3/4"	54.5	AL
DN25	1"	B0204015		70	1"	59	AL
DN32	1 1/4"	B0204016		60	1 1/4"	59	AL
DN40	1 1/2"	B0204048		50			AL
DN50	2"	B0204027		40	2"	49	AL
DN65	2 1/2"	B0204028		24	2 1/2"	49	AL
DN80	3"	B0204021		20	3"	56	AL
DN100	4"	B0204029		20	4"	58	AL

Male without locking ring



Name	Size	Code	Weight	SPQ	D	H	Material
DN15	1/2"	B0203001		90	1/2"	33	SS
DN20	3/4"	B0203070		90			SS
DN25	1"	B0203066		70	1"	38	SS
DN32	1 1/4"	B0203074		60	1 1/4"	44.5	SS
DN40	1 1/2"	B0203037		50	1 1/2"	57.5	SS
DN50	2"	B0203073		40	2"	67.75	SS
DN65	2 1/2"	B0203071		24	2 1/2"	69	SS
DN80	3"	B0203069		20	3"	76	SS
DN100	4"	B0203075		10	4"	84.5	SS

DN15	1/2"	B0203040					BR
DN20	3/4"	B0203041					BR
DN25	1"	B0203042					BR
DN32	1 1/4"	B0203043					BR
DN40	1 1/2"	B0203044					BR
DN50	2"	B0203012		40	2"	67.75	BR
DN65	2 1/2"	B0203045		24			BR
DN80	3"	B0203013		20	3"	77.5	BR
DN100	4"	B0203046		10			BR

DN15	1/2"	B0203039					AL
DN20	3/4"	B0203015		90	3/4"	42.5	AL
Dn25	1"	B0203016		70	1"	45.5	AL
DN32	1 1/4"	B0203017		60	1 1/4"	48	AL
DN40	1 1/2"	B0203027		50	1 1/2"	57	AL
DN50	2"	B0203028		40	2"	67.75	AL
DN65	2 1/2"	B0203029		24	2 1/2"	69.5	AL
DN80	3"	B0203030		20	3"	76.5	AL
DN100	4"	B0203068		10			AL

DN25	1/2"	B0203047					PP
DN32	3/4"	B0203048					PP
DN25	1"	B0203049					PP
DN32	1 1/4"	B0203050					PP
DN40	1 1/2"	B0203051					PP
DN50	2"	B0203052					PP
DN65	2 1/2"	B0203053					PP
DN80	3"	B0203054					PP
DN100	4"	B0203055					PP



Name	Size	Code	Weight	SPQ	D	H	Material
DN40	1 1/2"	B0220038			61	35.8	SS
DN50	3/4"	B0220039			78	36	SS
DN65	2 1/2"	B0220040			92	42	SS
DN80	3"	B0220041		30	112	44	SS
DN100	4"	B0220042			132.5	49.5	SS
DN40	1 1/2"	B0220004		100	61	35.8	PP
DN50	2"	B0220002		120	78	36	PP
DN65	2 1/2"	B0220006			92	42	PP
DN80	3"	B0220005		50	112	44	PP
DN100	4"	B0220003		30	132.5	49.5	PP
DN40	1 1/2"	B0220022					AL
DN50	2"	B0220023					AL
DN65	2 1/2"	B0220025		70			AL
DN80	3"	B0220044		50			AL
DN100	4"	B0220043		30			AL



Cap without locking ring



Blank cap with handle

Name	Size	Code	Weight	SPQ	D	H	Material
DN80	3"	B0220018					SS
DN50	2"	B0220048					AL
DN80	3"	B0220024					AL

Guillemin couplings



Guillemin cap with ring

Name	Size	Code	Weight	SPQ	D	H	Material
DN15	1/2"	B0215001		90	25	32	SS
DN20	3/4"	B0215047		80	31	39.5	SS
DN25	1"	B0215003		80	36.5	33.48	SS
DN32	1 1/4"	B0215057		70	41.5	35.7	SS
DN40	1 1/2"	B0215058		60	48.5	54	SS
DN50	2"	B0215064		50	68	51.5	SS
DN65	2 1/2"	B0215059		36	55	83	SS
DN80	3"	B0215060		25	101	65	SS
DN100	4"	B0215061		12	68.25	121	SS
DN150	6"	B0215012		4	190	107.2	SS

DN15	1/2"			90	25	32	AL
DN20	3/4"	B0215015		80	31	39.5	AL
DN25	1"	B0215023		80	36.5	33.48	AL
DN32	1 1/4"	B0215016		70	41.5	35.17	AL
DN40	1 1/2"	B0215024		60	48.5	54	AL
DN50	2"	B0215013		50	68	51.5	AL
DN65	2 1/2"	B0215021		36	55	83	AL
DN80	3"	B0215014		25	101	65	AL
DN100	4"	B0215017		12	68.25	121	AL
DN150	6"	B0215025		4	190	107.2	AL



Name	Size	Code	Weight	SPQ	D	H	Material
DN50		B0215018					SS
DN80		B0215050					SS
DN100		B0215051					SS



Male thread with helical shank

Name	Size	Code	Weight	SPQ	D	H	Material
DN15	1/2"	B0211028		90			SS
DN20	3/4"	B0211029		90			SS
DN25	1"	B0211051		70	26	81.5	SS
DN32	1 1/4"	B0211052		50			SS
DN40	1 1/2"	B0211040		35	41	100	SS
DN50	2"	B0211041		24	51	113	SS
DN65	2 1/2"	B0211053		12	66.5	130	SS
DN80	3"	B0211042		12	81.5	144	SS
DN100	4"	B0211044		6			SS

DN15	1/2"	B0211026		90			AL
DN20	3/4"	B0211027		90			AL
DN25	1"	B0211019		70			AL
DN32	1 1/4"	B0211021		50			AL
DN40	1 1/2"	B0211020		35			AL
DN50	2"	B0211056		24			AL
DN65	2 1/2"	B0211015		12			AL
DN80	3"	B0211009		12			AL
DN100	4"	B0211055		6			AL

DN25	1"						BR
DN32	1 1/4"						BR
DN40	1 1/2"						BR
DN50	2"	B0211012					BR
DN65	2 1/2"						BR
DN80	3"	B0211013					BR
DN100	4"						BR

DN25	1"	B0211045					PP
DN50	2"	B0211046					PP
DN80	3"	B0211047					PP



Guillemin with helical shank

Name	Size	Code	Weight	SPQ	D	H	Material
DN20	3/4"	B0210027					SS
DN25	1"	B0210001			26	100.25	SS
DN32	1 1/4"	B0210002					SS
DN40	1 1/2"	B0210003		40			SS
DN50	2"	B0210046		20	52.5	152.25	SS
DN65	2 1/2"	B0210047		10			SS
DN80	3"	B0210055		10	81.5	175	SS
DN100	4"	B0210049		6			SS
DN20	3/4"	B0210028					AL
DN25	1"	B0210056					AL
DN32	1 1/4"	B0210057					AL
DN40	1 1/2"	B0210043		40			AL
DN50	2"	B0210044		20			AL
DN65	2 1/2"	B0210045		10			AL
DN80	3"	B0210013		10			AL
DN100	4"	B0210037		6			AL



360° Swivel guillemin

Name	Size	Code	Weight	SPQ	D	H	Material
DN50	2"	B0295007					SS
DN80	3"	B0295008					SS
DN100	4"	B0295009					SS



Welding BW with helical shank

Name	Size	Code	Weight	SPQ	D	H	Material
DN15	1/2"	B0212009					SS
DN20	3/4"	B0212010					SS
DN25	1"	B0212001			27.3	69	SS
DN32	1 1/4"	B0212002					SS
DN40	1 1/2"	B0212026					SS
DN50	2"	B0212027					SS
DN65	2 1/2"	B0212005					SS
DN80	3"	B0212028			81.5	144.75	SS
DN100	4"	B0212029					SS



Guillemin reducer



Name	Size	Code	Weight	SPQ	d	D	H	Material
DN40-DN32	1 1/2" - 1 1/4"	B0219034		24	28	70	102	SS
DN50-DN40	2" - 1 1/2"	B0219062		15	38	88	122	SS
DN65-DN40	2 1/2" - 1 1/2"	B0219063		12	38	104	124	SS
DN65-DN50	2 1/2" - 2"	B0219061		12	48	104	125	SS
DN80-DN40	3" - 1 1/2"	B0219071		6	48	126	145	SS
DN80-DN50	3" - 2"	B0219064		6				SS
DN80-DN65	3" - 2 1/2"	B0219060		6	62	126	150	SS
DN100-DN40	4" - 1 1/2"	B0219016		6				SS
DN100-DN50	4" - 2"	B0219006		6	48	146	230	SS
DN100-DN65	4" - 2 1/2"	B0219065		6	62	146	225	SS
DN100-DN80	4" - 3"	B0219066		6	79	146	183	SS
DN40-DN32	1 1/2" - 1 1/4"	B0219047		24				AL
DN50-DN40	2" - 1 1/2"	B0219028		15				AL
DN65-DN40	2 1/2" - 1 1/2"	B0219029		12				AL
DN65-DN50	2 1/2" - 2"	B0219011		12				AL
DN80-DN40	3" - 1 1/2"	B0219020		6				AL
DN80-DN50	3" - 2"	B0219027		6				AL
DN80-DN65	3" - 2 1/2"	B0219009		6				AL
DN100-DN40	4" - 1 1/2"	B0219021		6				AL
DN100-DN50	4" - 2"	B0219022		6				AL
DN100-DN65	4" - 2 1/2"	B0219014		6				AL
DN100-DN80	4" - 3"	B0219008		6				AL

Welding BW


With locking ring

Name	Size	Code	Weight	SPQ	D	H	Material
DN15	1/2"	B0205002			21.4	46	SS
DN20	3/4"	B0205001			26.7	53	SS
DN25	1"	B0205038					SS
DN32	1 1/4"	B0205037					SS
DN40	1 1/2"	B0205030		60			SS
DN50	2"	B0205025		30	60.3	82	SS
DN65	2 1/2"	B0205031		20	76.1	82.5	SS
DN80	3"	B0205032		16			SS
DN100	4"	B0205036		12	114	105	SS
DN150	6"	B0205010		2	168.3	172.5	SS

Without locking ring

DN15	1/2"	B0207001			21.4	33.5	SS
DN20	3/4"	B0207027					SS
DN25	1"	B0207003			33.4	38	SS
DN32	1 1/4"	B0207004			42	45	SS
DN40	1 1/2"	B0207005		57	48.3	57.5	SS
DN50	2"	B0207006					SS
DN65	2 1/2"	B0207007					SS
DN80	3"	B0207026		16	88.9	77	SS
DN100	4"	B0207009		12	114.3	85.5	SS

Without locking ring

DN15	1/2"	B0208001			21.7	25	SS
DN20		B0208002			27	39.5	SS
DN25	1"	B0208003			33.8	38	SS
DN32	1 1/4"	B0208004			42.6	46	SS
DN40	1 1/2"	B0208005			48.8	40.5	SS
DN50	2"	B0208006			61	47.5	SS
DN65	2 1/2"	B0208007			73.9	48	SS
DN80	3"	B0208008			89.8	56.6	SS
DN100	4"	B0208009			115.4	62.5	SS



Name	Size	Material	Code	Material	Code	Material	Code
DN15	1/2"	NBR-White	B0216031	White NBR for Food	B0216042	NBR-Black	B0216001
DN20	3/4"	NBR-White	B0216032	White NBR for Food	B0216043	NBR-Black	B0216022
DN25	1"	NBR-White	B0216033	White NBR for Food	B0216044	NBR-Black	B0216023
DN32	1 1/4"	NBR-White	B0216034	White NBR for Food	B0216045	NBR-Black	B0216024
DN40	1 1/2"	NBR-White	B0216035	White NBR for Food	B0216046	NBR-Black	B0216025
DN50	2"	NBR-White	B0216036	White NBR for Food	B0216047	NBR-Black	B0216026
DN65	2 1/2"	NBR-White	B0216037	White NBR for Food	B0216048	NBR-Black	B0216027
DN80	3"	NBR-White	B0216038	White NBR for Food	B0216049	NBR-Black	B0216023
DN100	4"	NBR-White	B0216039	White NBR for Food	B0216050	NBR-Black	B0216029
DN150	6"	NBR-White	B0216041	White NBR for Food	B0216052	NBR-Black	B0216011
DN15	1/2"	VITON-Green	B0216064	VITON-Black	B0216053		
DN20	3/4"	VITON-Green	B0216065	VITON-Black	B0216054		
DN25	1"	VITON-Green	B0216066	VITON-Black	B0216055		
DN32	1 1/4"	VITON-Green	B0216067	VITON-Black	B0216056		
DN40	1 1/2"	VITON-Green	B0216068	VITON-Black	B0216057		
DN50	2"	VITON-Green	B0216069	VITON-Black	B0216058		
DN65	2 1/2"	VITON-Green	B0216070	VITON-Black	B0216059		
DN80	3"	VITON-Green	B0216071	VITON-Black	B0216060		
DN100	4"	VITON-Green	B0216072	VITON-Black	B0216061		
DN150	6"	VITON-Green	B0216074	VITON-Black	B0216063		
DN15	1/2"	EPDM-White	B0216086	EPDM-Black	B0216075		
DN20	3/4"	EPDM-White	B0216087	EPDM-Black	B0216076		
DN25	1"	EPDM-White	B0216088	EPDM-Black	B0216077		
DN32	1 1/4"	EPDM-White	B0216089	EPDM-Black	B0216078		
DN40	1 1/2"	EPDM-White	B0216090	EPDM-Black	B0216079		
DN50	2"	EPDM-White	B0216091	EPDM-Black	B0216080		
DN65	2 1/2"	EPDM-White	B0216092	EPDM-Black	B0216081		
DN80	3"	EPDM-White	B0216093	EPDM-Black	B0216082		
DN100	4"	EPDM-White	B0216094	EPDM-Black	B0216083		
DN150	6"	EPDM-White	B0216096	EPDM-Black	B0216085		
DN15	1/2"	Hypalon-Green	B0216119	Hypalon-Black	B0216108		
DN20	3/4"	Hypalon-Green	B0216120	Hypalon-Black	B0216109		
DN25	1"	Hypalon-Green	B0216121	Hypalon-Black	B0216110		
DN32	1 1/4"	Hypalon-Green	B0216122	Hypalon-Black	B0216111		
DN40	1 1/2"	Hypalon-Green	B0216123	Hypalon-Black	B0216112		
DN50	2"	Hypalon-Green	B0216124	Hypalon-Black	B0216113		
DN65	2 1/2"	Hypalon-Green	B0216125	Hypalon-Black	B0216114		
DN80	3"	Hypalon-Green	B0216126	Hypalon-Black	B0216115		
DN100	4"	Hypalon-Green	B0216127	Hypalon-Black	B0216116		
DN150	6"	Hypalon-Green	B0216129	Hypalon-Black	B0216118		



Gasket for guillemin



**Spanners**

Name	Size	Code	Weight	SPQ	d	D	H	Material
Spanners	DN25-150	B0226006						SS



API+Thread male

Name	Size	Code	Weight	SPQ	Material
DN80	3"	B1012001		3	AL
DN100	4"	B1012085			AL



API+Camlock male

Name	Size	Code	Weight	SPQ	Material
DN80	3"	B1012002		3	AL
DN100	4"	B1012012			AL



API+Guillemine coupling

Name	Size	Code	Weight	SPQ	Material
DN80	3"	B1012089		3	AL

