





Material:

Aluminum by casting
Brass by forging

Lug Distance

- ØA1=83
- ØA2=66
- ØA3=50




NOR couplings

Standard
Materials
Seal

NOR coupling hose

Norwegian standard.
Brass / Aluminum
NBR black

Name	Size	A	B	Code	Material
NOH50/25	LAS3-DN25	50	25	B1890006	AL-casting
NOH50/32	LAS3-DN32	50	32	B1890007	AL-casting
NOH50/38	LAS3-DN38	50	38	B1890008	AL-casting
NOH50/42	LAS3-DN42	50	42	B1890009	AL-casting
NOH66/32	LAS2-DN32	66	32	B1890016	AL-casting
NOH66/38	LAS2-DN38	66	38	B1890004	AL-casting
NOH66/51	LAS2-DN51	66	51	B1890003	AL-casting
NOH83/38	LAS1-DN38	83	38	B1890012	AL-casting
NOH83/51	LAS1-DN51	83	51	B1890013	AL-casting
NOH83/65	LAS1-DN65	83	65	B1890014	AL-casting
NOH83/75	LAS1-DN75	83	75	B1890015	AL-casting
NOH50/25	LAS3-DN25	50	25	B1804047	BR
NOH50/32	LAS3-DN32	50	32	B1804048	BR
NOH50/38	LAS3-DN38	50	38	B1804049	BR
NOH50/42	LAS3-DN42	50	42	B1804050	BR
NOH66/32	LAS2-DN32	66	32	B1804051	BR
NOH66/38	LAS2-DN38	66	38	B1804022	BR
NOH66/51	LAS2-DN51	66	51	B1804021	BR
NOH83/38	LAS1-DN38	83	38	B1804052	BR
NOH83/51	LAS1-DN51	83	51	B1804053	BR
NOH83/65	LAS1-DN65	83	65	B1804054	BR
NOH83/75	LAS1-DN75	83	75	B1804055	BR




NOR couplings

Standard
Materials
Seal

NOR coupling female thread

Norwegian standard.
Brass / Aluminum
NBR black or white

Name	Size	A	B	Code	Material
NOF50/25	LAS3-DN25	50	G1"	B1891006	AL-casting
NOF50/32	LAS3-DN32	50	G1 1/4"	B1891007	AL-casting
NOF50/38	LAS3-DN38	50	G1 1/2"	B1891008	AL-casting
NOF50/50	LAS3-DN50	50	G2"	B1891009	AL-casting
NOF66/38	LAS2-DN38	66	G1-1/2"	B1891004	AL-casting
NOF66/50	LAS2-DN50	66	G2"	B1891003	AL-casting
NOF83/25	LAS1-DN25	83	G1"	B1891014	AL-casting
NOF83/38	LAS1-DN38	83	G1 1/2"	B1891012	AL-casting
NOF83/50	LAS1-DN50	83	G2"	B1891013	AL-casting
NOF83/65	LAS1-DN65	83	G2-1/2"	B1891015	AL-casting
NOF83/75	LAS1-DN75	83	G3"	B1891016	AL-casting
NOF50/25	LAS3-DN25	50	G1"	B1804056	BR
NOF50/32	LAS3-DN32	50	G1 1/4"	B1804057	BR
NOF50/38	LAS3-DN38	50	G1 1/2"	B1804058	BR
NOF50/50	LAS3-DN50	50	G2"	B1804059	BR
NOF66/38	LAS2-DN38	66	G1-1/2"	B1804028	BR
NOF66/50	LAS2-DN50	66	G2"	B1801011	BR
NOF83/25	LAS1-DN25	83	G1"	B1804060	BR
NOF83/38	LAS1-DN38	83	G1 1/2"	B1804061	BR
NOF83/50	LAS1-DN50	83	G2"	B1804062	BR
NOF83/65	LAS1-DN65	83	G2-1/2"	B1804063	BR
NOF83/75	LAS1-DN75	83	G3"	B1804064	BR




NOR couplings

NOR coupling male thread

Standard
Materials
Seal

Norwegian standard.
Brass / Aluminum
NBR black or white

Name	Size	A	B	Code	Material
NOM50/25	LAS3-DN25	50	G1"	B1892006	AL
NOM50/32	LAS3-DN32	50	G1 1/4"	B1892007	AL
NOM50/38	LAS3-DN38	50	G1 1/2"	B1892008	AL
NOM50/50	LAS3-DN50	50	G2"	B1892009	AL
NOM66/38	LAS2-DN38	66	G1-1/2"	B1892004	AL
NOM66/50	LAS2-DN50	66	G2"	B1892003	AL
NOM83/38	LAS1-DN25	83	G1"	B1892012	AL
NOM83/50	LAS1-DN38	83	G1 1/2"	B1892013	AL
NOM83/65	LAS1-DN50	83	G2"	B1892014	AL
NOM83/75	LAS1-DN65	83	G2-1/2"	B1892015	AL
NOM50/25	LAS3-DN25	50	G1"	B1804065	BR
NOM50/32	LAS3-DN32	50	G1 1/4"	B1804066	BR
NOM50/38	LAS3-DN38	50	G1 1/2"	B1804067	BR
NOM50/50	LAS3-DN50	50	G2"	B1804068	BR
NOM66/38	LAS2-DN38	66	G1-1/2"	B1804025	BR
NOM66/50	LAS2-DN50	66	G2"	B1804029	BR
NOM83/25	LAS1-DN25	83	G1"	B1804069	BR
NOM83/38	LAS1-DN38	83	G1 1/2"	B1804070	BR
NOM83/50	LAS1-DN50	83	G2"	B1804071	BR
NOM83/65	LAS1-DN65	83	G2-1/2"	B1804072	BR



Storz couplings

NOR coupling blank cap

Standard
Materials
Seal

Norwegian standard.
Brass / Aluminum
NBR black or white

Name	Size	A	Code	Material
NOC50	LAS3	50	B1804043	AL
NOC66	LAS2	66	B1804044	AL
NOC83	LAS1	83	B1804045	AL
NOM50/25	LAS3-DN25	50	B1804018	BR
NOM50/32	LAS3-DN32	50	B1804042	BR
NOM50/38	LAS3-DN38	50	B1804046	BR



Storz couplings

NOR seal

Standard
Materials

Norwegian standard.
NBR

Name	Size	Code	Material
NOR38	1 1/2"	B1803002	NBR
NOR50	2"	B1803003	NBR
NOR65	2 1/2"	B1803001	NBR

